

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Date of issue: 20.11.2014 Revision date: 12.09.2023 Version: 1.2

SECTION 1: Identification		
1.1. Identification		
Product form Trade name CAS-No. Product code	: Mixture : K KOOL-E PINK : 107-21-1 : 30100	
1.2. Recommended use and restrictions or	n use	
Use of the substance/mixture	: Heat Transfer Fluid, Coolant, etc	
1.3. Supplier		
Interstate Chemical Company, Inc. 2797 Freedland Road Hermitage, PA, Mercer, 16148-0210 United States T 800-422-2436 - F (724) 509-1015 <u>herm-eh&s@interstatechemical.com</u> - <u>www.interstatechemical.com</u>	<u>itechemical.com</u>	
1.4. Emergency telephone number		
Emergency number	: For 24-Hour Emergency Information Call Chemtrec: +1 (800) 424-9300	
SECTION 2: Hazard(s) identification 2.1. Classification of the substance or mix GHS US classification	ture	
Acute toxicity (oral) Category 4 Full text of H statements : see section 16	H302 Harmful if swallowed	
2.2. GHS Label elements, including precau	itionary statements	
GHS US labeling		
Hazard pictograms (GHS-US)		
Signal word (GHS-US) Hazard statements (GHS-US) Precautionary statements (GHS-US) 2.3. Other hazards which do not result in c	 Warning H302 - Harmful if swallowed P264 - Wash hands, forearms and face thoroughly after handling P270 - Do not eat, drink or smoke when using this product P301+P312 - If swallowed: Call a doctor, a POISON CENTER if you feel unwell P330 - Rinse mouth P501 - Dispose of contents/container to a hazardous or special waste collection point, an approved waste disposal plant, Collection point, an industrial incineration plant, and in accordance with local, regional, national, and international regulations, hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation 	

No additional information available

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

2.4. Unknown acute toxicity (GHS US)

No additional information available

SECTION 3: Composition/Information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	GHS US classification
ethylene glycol	CAS-No.: 107-21-1	90 – 100	Acute Tox. 4 (Oral), H302
CORROSION INHIBITORS AND pH BUFFERS	CAS-No.: Trade Secret	1 – 10	Not classified
LIQUID DYE	CAS-No.: Mixture	< 1	Not classified

Full text of hazard classes and H-statements : see section 16

SECTION 4: First-aid measures

4.1. Description of first aid measures First-aid measures general : Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible). First-aid measures after inhalation Allow victim to breathe fresh air. Allow the victim to rest. · First-aid measures after skin contact Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse. First-aid measures after eye contact Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness persists. : Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention. Call a POISON First-aid measures after ingestion CENTER or doctor/physician if you feel unwell. 4.2. Most important symptoms and effects (acute and delayed) : Based on available data, the classification criteria are not met. Harmful if swallowed. Potential Adverse human health effects and symptoms Symptoms/effects after ingestion : Swallowing a small quantity of this material will result in serious health hazard. 4.3. Immediate medical attention and special treatment, if necessary

No additional information available

SECTION 5: Fire-fighting measu	ires
5.1. Suitable (and unsuitable) exting	guishing media
Suitable extinguishing media Unsuitable extinguishing media	Foam. Dry powder. Carbon dioxide. Water spray. Sand.Do not use a heavy water stream.
5.2 Specific hazards arising from the chemical	

No additional information available

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

5.3. Special protective equipment and precautions for fire-fighters		
Firefighting instructions	: Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire-fighting water from entering environment.	
Protection during firefighting	: Do not enter fire area without proper protective equipment, including respiratory protection.	

SECTION 6: Accidental release measures		
6.1. Personal precautions, protective equ	ipment and emergency procedures	
6.1.1. For non-emergency personnel		
Emergency procedures	: Evacuate unnecessary personnel.	
6.1.2. For emergency responders		
Protective equipment	: Equip cleanup crew with proper protection.	
Emergency procedures	: Ventilate area.	
6.2. Environmental precautions		
Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.		

6.3. Methods and material for containment and cleaning up		
Methods for cleaning up	: Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect spillage. Store away from other materials.	

6.4. Reference to other sections

See Heading 8. Exposure controls and personal protection.

SECTION 7: Handling and storage	
7.1. Precautions for safe handling	
Precautions for safe handling Hygiene measures	 Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapor. Do not eat, drink or smoke when using this product. Wash hands, forearms and face thoroughly after handling.
7.2. Conditions for safe storage, including	any incompatibilities
Storage conditions	: Keep only in the original container in a cool, well ventilated place away from : Keep container closed when not in use.
Incompatible products Incompatible materials	Strong bases. Strong acids.Sources of ignition. Direct sunlight.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

K KOOL-E PINK (107-21-1)	
USA - ACGIH - Occupational Exposure Limits	
Local name	Ethylene glycol
ACGIH OEL TWA [ppm]	25 ppm
ACGIH OEL STEL	10 mg/m ³

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

K KOOL-E PINK (107-21-1)		
ACGIH OEL STEL [ppm]	50 ppm	
Remark (ACGIH)	Kidney dam; URT & eye irr	
ethylene glycol (107-21-1)		
USA - ACGIH - Occupational Exposure Limits		
Local name	Ethylene glycol	
ACGIH OEL TWA [ppm]	25 ppm	
ACGIH OEL STEL	10 mg/m³	
ACGIH OEL STEL [ppm]	50 ppm	
Remark (ACGIH)	Kidney dam; URT & eye irr	
CORROSION INHIBITORS AND pH BUFFERS	(Trade Secret)	
No additional information available		
LIQUID DYE (Mixture)		
No additional information available		
8.2. Appropriate engineering controls		
No additional information available		
8.3. Individual protection measures/Personal protective equipment		
Personal protective equipment: Avoid all unnecessary exposure.		
Hand protection:		
Wear protective gloves		
Eye protection:		
Chemical goggles or safety glasses		
Respiratory protection:		
Wear appropriate mask		

Personal protective equipment symbol(s):



Other information: Do not eat, drink or smoke during use.

SECTION 9: Physical and chemical properties		
9.1. Information on basic pl	hysical and chemical properties	
Physical state	: Liquid	
Appearance	: Liquid.	
Color	: Colorless	

Odor

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Odor threshold	: No data available
pH	
•	: 8 (≥ 9,5) : -13 °C
Melting point	: No data available
Freezing point	: No data available : 197 °C
Boiling point	
Critical temperature	: 372 °C
Flash point	: 111 °C
Relative evaporation rate (butyl acetate=1)	: <1
Flammability (solid, gas)	: Non flammable.
Vapor pressure	: 0,07 hPa
Vapor pressure at 50 °C	: 1,1 hPa
Relative vapor density at 20 °C	: 2,1
Relative density	: 1,1
Specific gravity / density	: 1130 kg/m³
Molecular mass	: 62,07 g/mol
Solubility	 Soluble in water. Soluble in ethanol. Soluble in acetone. Soluble in acetic acid. Soluble in glycerol. Soluble in pyridine. Ethanol: Complete Acetone: Complete
Partition coefficient n-octanol/water (Log Pow)	: -1,34 (Experimental value)
Auto-ignition temperature	: 398 °C
Decomposition temperature	: >500 °C
Viscosity, kinematic	: 18,86 mm²/s (20 °C)
Viscosity, dynamic	: 0,021 Pa.s (20 °C)
Explosion limits	: 3 – 15 vol %
Explosive properties	: No data available
Oxidizing properties	: No data available
9.2. Other information	
VOC content	: 0%

SECTION 10: Stability and reactivity
10.1. Reactivity
No additional information available
10.2. Chemical stability
Not established.
10.3. Possibility of hazardous reactions
Not established.
10.4. Conditions to avoid
Direct sunlight. Extremely high or low temperatures.
10.5. Incompatible materials
Strong acids. Strong bases.

10.6. Hazardous decomposition products

fume. Carbon monoxide. Carbon dioxide.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 11: Toxicological information	
11.1. Information on toxicological effects	
Acute toxicity (oral) Acute toxicity (dermal) Acute toxicity (inhalation)	 Harmful if swallowed. Not classified Not classified
K KOOL-E PINK (107-21-1)	
ATE US (oral)	515,464 mg/kg body weight
ethylene glycol (107-21-1)	
LD50 oral rat	> 5000 mg/kg (Rat; Literature study)
ATE US (oral)	500 mg/kg body weight
Skin corrosion/irritation	: Not classified pH: 8 (≥ 9,5)
Serious eye damage/irritation	: Not classified pH: 8 (≥ 9,5)
Respiratory or skin sensitization	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
Specific target organ toxicity – single exposure	: Not classified
Specific target organ toxicity – repeated exposure	: Not classified
Aspiration hazard	: Not classified
Viscosity, kinematic	: 18,86 mm²/s (20 °C)
ethylene glycol (107-21-1)	
Viscosity, kinematic	18,86 mm²/s (20 °C)
Potential Adverse human health effects and symptoms	: Based on available data, the classification criteria are not met. Harmful if swallowed.
Symptoms/effects after ingestion	: Swallowing a small quantity of this material will result in serious health hazard.

SECTION 12: Ecological information

12.1. Toxicity

ethylene glycol (107-21-1)	
EC50 - Daphnia [1]	> 10000 mg/l (EC50; 24 h)
LC50 - Fish [2]	40761 mg/l (LC50; 96 h; Salmo gairdneri)

12.2. Persistence and degradability

K KOOL-E PINK (107-21-1)		
Persistence and degradability	Not established.	
ethylene glycol (107-21-1)		
Persistence and degradability	Readily biodegradable in water. Biodegradable in the soil.	
Biochemical oxygen demand (BOD)	0,47 g O ₂ /g substance	
Chemical oxygen demand (COD)	1,24 g O ₂ /g substance	
ThOD	1,29 g O ₂ /g substance	

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

ethylene glycol (107-21-1)		
BOD (% of ThOD)	0,36	
12.3. Bioaccumulative potential		
K KOOL-E PINK (107-21-1)		
Partition coefficient n-octanol/water (Log Pow)	-1,34 (Experimental value)	
Bioaccumulative potential	Not established.	
ethylene glycol (107-21-1)		
BCF - Fish [1]	10 (BCF; 72 h)	
BCF - Other aquatic organisms [1]	0,21 – 0,6 (BCF)	
BCF - Other aquatic organisms [2]	190 (BCF; 24 h)	
Partition coefficient n-octanol/water (Log Pow)	-1,34 (Experimental value)	
Bioaccumulative potential	Low potential for bioaccumulation (BCF < 500).	
12.4. Mobility in soil		
ethylene glycol (107-21-1)		
Surface tension	0,048 N/m (20 °C)	
12.5. Other adverse effects		
Other information	: Avoid release to the environment.	
SECTION 13: Disposal considerations		
13.1. Disposal methods		

Product/Packaging disposal recommendations	: Dispose in a safe manner in accordance with local/national regulations. Dispose of contents/container to
Ecology - waste materials	: Avoid release to the environment.

SECTION 14: Transport information	
14.1. UN number	
Not regulated for transport	
14.2. UN proper shipping name	
Proper Shipping Name (DOT) Proper Shipping Name (TDG) Proper Shipping Name (IMDG) Proper Shipping Name (IATA)	 Environmentally hazardous substances, liquid, n.o.s. Not applicable Not applicable Not applicable
14.3. Transport hazard class(es)	
DOT Transport hazard class(es) (DOT) Hazard labels (DOT)	: 9 : 9

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

TDG Transport hazard class(es) (TDG)	: Not applicable
IMDG Transport hazard class(es) (IMDG)	: Not applicable
IATA Transport hazard class(es) (IATA)	: Not applicable
14.4. Packing group	
Packing group (DOT) Packing group (TDG) Packing group (IMDG) Packing group (IATA)	 III Not applicable Not applicable Not applicable
14.5. Environmental hazards	
Other information	: Only regulated by DOT if product exceeds Reportable Quantity under CERCLA. The reportable quantity can be found in Section 15 of this SDS.
14.6. Special precautions for user	
DOT Special Provisions (49 CFR 172.102)	 UN3082 8 - A hazardous substance that is not a hazardous waste may be shipped under the shipping description "Other regulated substances, liquid or solid, n.o.s.", as appropriate. In addition, for solid materials, special provision B54 applies. 146 - This description may be used for a material that poses a hazard to the environment but does not meet the definition for a hazardous waste or a hazardous substance, as defined in 171.8 of this subchapter, or any hazard class as defined in Part 173 of this subchapter, if it is designated as environmentally hazardous by the Competent Authority of the country of origin, transit or destination. 173 - An appropriate generic entry may be used for this material. 335 - Mixtures of solids that are not subject to this subchapter and environmentally hazardous liquids or solids may be classified as "Environmentally hazardous substances, solid, n.o.s," UN3077 and may be transported under this entry, provided there is no free liquid visible at the time the material is loaded or at the time the packaging or transport unit is closed. Each transport unit must be leak-proof when used as bulk packaging. IB3 - Authorized IBCs: Metal (31A, 31B and 31N); Rigid plastics (31H1 and 31H2); Composite (31HZ1 and 31HA2, 31HB2, 31HD2, 31HD2 and 31HH2). Additional Requirement: Only liquids with a vapor pressure less than or equal to 110 kPa at 50 C (1.1 bar at 122 F), or 130 kPa at 55 C (1.3 bar at 131 F) are authorized, except for UN2672 (also see Special Provision IP8 in Table 2 for UN2672). T4 - 2.65 178.274(d)(2) Normal
DOT Packaging Non Bulk (49 CFR 173.xxx)	: 203

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

DOT Packaging Bulk (49 CFR 173.xxx)	241
DOT Quantity Limitations Passenger aircraft/rail (49 CFR 173.27)	No limit
DOT Quantity Limitations Cargo aircraft only (49 CFR 175.75)	No limit
DOT Vessel Stowage Location	A - The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vessel.
TDG Emergency Response Guide (ERG) Number	: 171
IMDG	

No data available

ΙΑΤΑ

No data available

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. US Federal regulations

K KOOL-E PINK (107-21-1)

Subject to reporting requirements of United States SARA Section 313				
CERCLA RQ	5000 lb			
Commercial status of components according to the United States Environmental Protection Agency's Toxic Substances Control Act (TSCA):				
Name	CAS-No.	Listing	Commercial status	Flags
ethylene glycol	107-21-1	Present		
CORROSION INHIBITORS AND pH BUFFERS	Trade Secret	Not present	-	
LIQUID DYE	Mixture	Not present	-	

ethylene glycol (107-21-1)		
Subject to reporting requirements of United States SARA Section 313 Listed on EPA Hazardous Air Pollutant (HAPS)		
CERCLA RQ	5000 lb	

15.2. International regulations

CANADA

ethylene glycol (107-21-1)

Listed on the Canadian DSL (Domestic Substances List)

EU-Regulations

No additional information available

National regulations

No additional information available

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

15.3. US State regulations	
K KOOL-E PINK (107-21-1)	
	U.S New Jersey - Right to Know Hazardous Substance List U.S Pennsylvania - RTK (Right to Know) List

This product can expose you to ethylene glycol, which is known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

Component	State or local regulations
ethylene glycol(107-21-1)	U.S New Jersey - Right to Know Hazardous Substance List; U.S Pennsylvania - RTK (Right to Know) List

SECTION 16: Other information		

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations				
Revision date	: 12.09.2023			
Other information	: None.			

Full text of H-phra	ISES
H302	Harmful if swallowed

Abbreviations and acronyms		
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways	
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road	
ATE	Acute Toxicity Estimate	
BCF	Bioconcentration factor	
CLP	Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008	
DMEL	Derived Minimal Effect level	
DNEL	Derived-No Effect Level	
DPD	Dangerous Preparations Directive 1999/45/EC	
DSD	Dangerous Substances Directive 67/548/EEC	
EC50	Median effective concentration	
IARC	International Agency for Research on Cancer	
ΙΑΤΑ	International Air Transport Association	
IMDG	International Maritime Dangerous Goods	
LC50	Median lethal concentration	
LD50	Median lethal dose	
LOAEL	Lowest Observed Adverse Effect Level	
NOAEC	No-Observed Adverse Effect Concentration	
NOAEL	No-Observed Adverse Effect Level	

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Abbreviations and acronyms		
NOEC	No-Observed Effect Concentration	
OECD	Organisation for Economic Co-operation and Development	
PBT	Persistent Bioaccumulative Toxic	
PNEC	Predicted No-Effect Concentration	
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006	
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail	
SDS	Safety Data Sheet	
STP	Sewage treatment plant	
TLM	Median Tolerance Limit	
vPvB	Very Persistent and Very Bioaccumulative	

NFPA health hazard


NFPA fire hazard

NFPA reactivity

: 1 - Materials that, under emergency conditions, can cause significant irritation.

: 1 - Materials that must be preheated before ignition can occur.

: 0 - Material that in themselves are normally stable, even under fire conditions.



Hazard Rating Health Flammability

Physical

: 1 Slight Hazard - Irritation or minor reversible injury possible

: 1 Slight Hazard - Materials that must be preheated before ignition will occur. Includes liquids, solids and semi solids having a flash point above 200 F. (Class IIIB)

: 0 Minimal Hazard - Materials that are normally stable, even under fire conditions, and will NOT react with water, polymerize, decompose, condense, or self-react. Non-Explosives.

Personal protection

Safety Data Sheet (SDS), USA

: B - Safety glasses, Gloves